

**Urinary Catheter Menu**

Urinary catheters account for up to 40% of all hospital acquired infections. The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling urinary catheter. If a catheter is clinically indicated please discontinue use as soon as is appropriate.

- Acute Foley Catheter
- Acute Foley Catheter (Immediate Post Op Use Only)
- Chronic Foley Catheter
- Straight Catheter/I.C.
- Suprapubic Catheter
- External Urinary Catheter
- Irrigation w/ 3 way Foley Catheter
- Flush Foley Catheter
- D/C Foley Catheter

**Urinary Catheter Menu**

- Linked to A/D/T order
- No patient can move in hospital without A/D/T order (no text orders for patient movement)
- Urinary cath menu (as well as DVT prophylaxis, flu vaccine, and MRSA swab) all drop in automatically with A/D/T order

Start | Inbox - Microsoft Outlook | CPRS - Patient Chart | 2:42 PM

## Urinary Catheter Menu

Urinary catheters account for up to 40% of all hospital acquired infections.  
The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling catheter. If an indwelling catheter is indicated please discontinue it as soon as possible.

### [Acute Foley Catheter](#)

- Acute Foley Catheter (Indwelling)
- Chronic Foley Catheter
- Straight Catheter/I.C.
- Suprapubic Catheter
- External Urinary Catheter
- Irrigation w/ 3 way Foley
- Flush Foley Catheter
- D/C Foley Catheter

### Acute Foley Catheter

Start: NOW ...

Catheter Status: ACUTE

Instructions:

Indication:

If other:

Stop: t+5d ...

Comments:

FOLEY CATHETER

Accept Order

Quit

Sample Acute Catheter standard order screen

## Urinary Catheter Menu

Urinary catheters account for up to 40% of all hospital acquired infections. The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling urinary catheter. If a catheter is clinically indicated please discontinue use as soon as is appropriate.

### [Acute Foley Catheter](#)

- Acute Foley Catheter (Immediate Post Op Use Only)
- Chronic Foley Catheter
- Straight Catheter/I.C.
- Suprapubic Catheter
- External Urinary Catheter
- Irrigation w/ 3 way Foley Catheter
- Flush Foley Catheter
- D/C Foley Catheter

**Acute Foley Catheter**

Start: NOW

Catheter Status: ACUTE

Instructions:

Indication: INSERT  
MAINTAIN  
APPLY

If other:

Stop: t+5d

FOLEY CATHETER

Accept Order

Quit

## Instructions Menu

**Wade Park Admission**

- Admit to Wade Park
- NARES PCR SCREEN
- DVT Prophylaxis Menu (Inc
- Urinary Catheter Menu
- Strict I&O

Stop Order Set

## Urinary Catheter Menu

Urinary catheters account for up to 40% of all hospital acquired infections.  
The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling urinary catheter. If a catheter is clinically indicated please discontinue use as soon as is appropriate.

### [Acute Foley Catheter](#)

- Acute Foley Catheter (Immediate Post Op Use Only)
- Chronic Foley Catheter
- Straight Catheter/I.C.
- Suprapubic Catheter
- External Urinary Catheter
- Irrigation w/ 3 way Foley Catheter
- Flush Foley Catheter
- D/C Foley Catheter

**Acute Foley Catheter**

Start: NOW

Catheter Status: ACUTE

Instructions: [dropdown]

Indication: [dropdown]

If other: BPH  
COMFORT CARE/TERMINALLY ILL  
EPIDURAL  
ICU/SICU DIURESIS  
ICU/SICU VENTILATED  
NEUROGENIC BLADDER  
OBSTRUCTION/RETENTION  
OPEN WOUND

Stop: [dropdown]

FOLEY CATHETER [dropdown]

Accept Order

Quit

Indications Menu Slide #1

## Urinary Catheter Menu

Urinary catheters account for up to 40% of all hospital acquired infections. The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling urinary catheter. If a catheter is clinically indicated please discontinue use as soon as is appropriate.

### [Acute Foley Catheter](#)

Acute Foley Catheter (Immediate Post Op Use Only)

Chronic Foley Catheter

Straight Catheter/I.C.

Suprapubic Catheter

External Urinary Catheter

Irrigation w/ 3 way Foley Catheter

Flush Foley Catheter

D/C Foley Catheter

**Acute Foley Catheter**

Start: NOW ...

Catheter Status: ACUTE

Instructions: [Dropdown]

Indication: [Dropdown]

If other: NEUROGENIC BLADDER  
OBSTRUCTION/RETENTION  
OPEN WOUND  
OTHER (Specify Below)

Stop: PERIOPERATIVE  
STRICT I&O  
UNABLE TO USE OTHER METHO  
UNRESPONSIVE/SEDATED

FOLEY CATHETE [Dropdown]

Accept Order

Quit

Indications Menu Slide #2

View Orders Active Orders (includes Pending & Recent Activity) - ALL SERVICES

Service	Order	Start / Stop	Provider	Nurse	Clerk	Chart	Status
A/D/T	>> Admit to... B24ADOM ALCOHOL TREATMENT Attending: A,MCCARTHY JOSEPH Primary: A,MCCARTHY JOSEPH *UNSIGNED*		Watts,B				unreleas
Lab	MRSA SURVL NARES DNA NASAL SWAB/NARES WC ONCE *UNSIGNED*	Start: T	Watts,B				unreleas
A/D/T	>> Admit to... B24ADOM ACUTE PSYCHIATRY (<45 DAYS) Attending: A,MCCARTHY JOSEPH Primary: A,MCCARTHY JOSEPH *UNSIGNED*		Watts,B				unreleas
Lab	MRSA SURVL NARES DNA NASAL SWAB/NARES WC ONCE *UNSIGNED*	Start: T					
Nursing	>> MAINTAIN FOLEY CATHETER *UNSIGNED*	Start: NOW Stop: t+5d	Watts,B				unreleas
	>> Potable Chest X-ray Q am x 7 if tubated. If not intubated, portable Chest x-ray stat on admission.						
Non-VA M	Non-VA IRON POLYSACCHARIDE COMPLEX CAP,ORAL 150MG TAKE 1 CAPSULE BY MOUTH						
	Non-VA VITAMIN E CAP,ORAL 400UNT TAKE 1 CAPSULE BY MOUTH Feb 10, 2010						
	Non-VA GINSENG CAP/TAB ONE CAP/TAB MOUTH TWICE A DAY Non-VA medication						

Resulting Order as appears in CPRS

Order Details - 51550550;1

>> MAINTAIN FOLEY CATHETER \*UNSIGNED\*

Activity:  
 05/12/2010 14:41 New Order entered by WATTS,BROOK (INTERNIST)  
 Order Text: MAINTAIN FOLEY CATHETER  
 Nature of Order: ELECTRONICALLY ENTERED  
 Ordered by: WATTS,BROOK (INTERNIST)  
 Signature: NOT SIGNED

Current Data:  
 Treating Specialty:  
 Ordering Location: YOU PCM/LU  
 Start Date/Time:  
 Stop Date/Time:  
 Current Status: UNRELEASED  
 Orders that have not been released to the service for action.  
 Order #51550550

Order:  
 \ FOLEY CATHETER  
 Start: NOW  
 Catheter Status: ACUTE  
 Instructions: MAINTAIN  
 Indication: BPH  
 If other:  
 Stop: 5 DAYS FROM TODAY  
 Comments:

Urinary Catheter

Urinary catheters account for up to 40% of all hospital acquired infections. The duration of catheter use is directly related to the risk for developing urinary tract infection (daily infection risk of 3 to 7%).

Please strongly consider the potential risks versus benefits for your patient prior to ordering an indwelling urinary catheter. If a catheter is clinically indicated please discontinue use as soon as is appropriate.

[Acute Foley Catheter](#)  
 Acute Foley Catheter (Immediate Post Op Use Only)  
 Chronic Foley Catheter  
 Straight Catheter/I.C.